

# **2009 Chevrolet Express Cargo Van**

## **CG23405 RWD 2500 135"**



Photo may not represent exact vehicle or selected equipment.



**2009 Chevrolet Express Cargo Van**

**• VEHICLE REPORT**

2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

**WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED**

**PRICING SUMMARY**

Price Component	Invoice	MSRP
<i>Base Price</i>	\$23,342.38	\$25,235.00
<i>Total Options</i>	\$638.00	\$725.00
<i>Vehicle Subtotal</i>	\$23,980.38	\$25,960.00
<i>Advert/Adjustments</i>	\$778.80	\$0.00
<i>Destination Charge</i>	\$980.00	\$980.00
<b>TOTAL VEHICLE PRICE</b>	\$25,739.18	\$26,940.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 154.0, Data updated 9/22/2009 12:54:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



2009 Chevrolet Express Cargo Van

• VEHICLE REPORT

2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

**WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED**

**SELECTED MODEL**

Code	Description	Invoice	MSRP
CG23405	2009 Chevrolet Express Cargo Van RWD 2500 135"	\$23,342.38	\$25,235.00

**SELECTED VEHICLE COLORS**

Code	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS**

Code	Description	Invoice	MSRP
<b>BODY CODE</b>			
ZW9	BODY, STANDARD (STD)	\$0.00	\$0.00
<b>EMISSIONS</b>			
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00	\$0.00
<b>ENGINE</b>			
LY2	ENGINE, VORTEC 4.8L V8 SFI (279 hp [208 kW] @ 5200 rpm, 294 lb-ft of torque [400 N-m] @ 4500 rpm) (STD) (Includes external engine oil cooler. Standard on *G23*05 models and *G33*05 models. Reference the Engine/Axle page for availability.)	\$0.00	\$0.00
<b>TRANSMISSION</b>			
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive, tow/haul mode and internal transmission oil cooler (STD) (Required and standard when ordered with (LY2) Vortec 4.8L V8 SFI engine or (LY6) Vortec 6.0L V8 SFI engine. Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)	\$0.00	\$0.00
<b>AXLE</b>			
GT4	REAR AXLE, 3.73 RATIO (Standard on the *G23*05 and *G33*05 models. Available on ** 13405 models with (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability)	\$0.00	\$0.00
<b>SIDE DOOR</b>			
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT (STD)	\$0.00	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>			
1WT	PREFERRED EQUIPMENT GROUP includes Standard Equipment	\$0.00	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 154.0, Data updated 9/22/2009 12:54:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



2009 Chevrolet Express Cargo Van

• VEHICLE REPORT

2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

**WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED**

**SELECTED OPTIONS**

Code	Description	Invoice	MSRP
<b>WHEELS</b>			
QB5	WHEELS, GRAY-PAINTED includes Gray center caps and steel spare (STD) (Standard on *G23*05 and *G33*05 models.)	\$0.00	\$0.00
<b>SPARE TIRE</b>			
ZHH	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE (STD) (Standard on the *G23*05 and *G33*05 models.)	\$0.00	\$0.00
<b>PAINT SCHEME</b>			
ZY1	PAINT, SOLID	\$0.00	\$0.00
<b>PAINT</b>			
41U	BLACK	\$0.00	\$0.00
<b>SEAT TYPE</b>			
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM head restraints and inboard armrests (Requires (**G) interior trim. Includes (BA3) console with swing-out storage bin.)	\$44.00	\$50.00
<b>SEATING ARRANGEMENT</b>			
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE with head restraints and vinyl or cloth trim (STD)	\$0.00	\$0.00
<b>AIR CONDITIONING</b>			
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL (STD)	\$0.00	\$0.00
<b>RADIO</b>			
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan, digital clock and 2 front door speakers	\$132.00	\$150.00
<b>REQUIRED OPTION</b>			
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS (STD)	\$0.00	\$0.00
<b>ADDITIONAL EQUIPMENT</b>			
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL (Included with (PCH) Hotel Shuttle Package.)	\$347.60	\$395.00
A12	GLASS, FIXED REAR DOORS WINDOWS (Included and only available when (ZW*) is ordered. Included with (YF2) Ambulance Package)	INC	INC
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS (May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. Included with (PCH) Hotel Shuttle Package.)	\$114.40	\$130.00
BA3	CONSOLE, ENGINE COVER WITH SWING-OUT STORAGE BIN (Included with (AS5) front bucket seats with Custom Cloth.)	INC	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 154.0, Data updated 9/22/2009 12:54:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



**2009 Chevrolet Express Cargo Van**

**• VEHICLE REPORT** 2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

**WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED**

**SELECTED OPTIONS**

Code	Description	Invoice	MSRP
OPTIONS TOTAL		\$638.00	\$725.00



2009 Chevrolet Express Cargo Van

## • VEHICLE REPORT

2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

### WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED

#### STANDARD EQUIPMENT

##### Mechanical

- *Engine, Vortec 4.8L V8 SFI (279 hp [208 kW] @ 5200 rpm, 294 lb-ft of torque [400 N-m] @ 4500 rpm) (Includes external engine oil cooler. Standard on \*G23\*05 models and \*G33\*05 models. Reference the Engine/Axle page for availability.)*
- *Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LY2) Vortec 4.8L V8 SFI engine or (LY6) Vortec 6.0L V8 SFI engine. Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)*
- *Rear axle, 3.73 ratio (Standard on the \*G23\*05 and \*G33\*05 models. Available on \*\* 13405 models with (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability)*
- *Body, standard*
- *Rear wheel drive*
- *Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power*
- *Alternator, 105 amps (Not available with \*\*13405 models or (LMM) Duramax 6.6L Turbo Diesel V8 engine.)*
- *Frame, full-length box ladder-type*
- *GVWR, 8600 lbs. (3901 kg) (Standard on \*G23\*05 models. Reference the Engine/Axle page for availability.)*
- *Suspension, front independent with coil springs and stabilizer bar (Requires \*G\*\*\*05 models.)*
- *Suspension, rear hypoid drive axle with multi-leaf springs*
- *Steering, power*
- *Brakes, 4-wheel antilock, 4-wheel disc*
- *Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)*
- *Exhaust, aluminized stainless-steel muffler and tailpipe*

##### Exterior

- *Wheels, Gray-painted includes Gray center caps and steel spare (Standard on \*G23\*05 and \*G33\*05 models.)*
- *Tires, front LT245/75R16E all-season, blackwall (Standard on the \*G23\*05 and \*G33\*05 models.)*
- *Tires, rear LT245/75R16E all-season, blackwall (Standard on the \*G23\*05 and \*G33\*05 models.)*
- *Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on the \*G23\*05 and \*G33\*05 models.)*
- *Door, swing-out passenger-side, 60/40 split*
- *Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)*
- *Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 154.0, Data updated 9/22/2009 12:54:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



**2009 Chevrolet Express Cargo Van**

## • VEHICLE REPORT

2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

### WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED

#### STANDARD EQUIPMENT

- *Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)*
- *Mirrors, outside manual, Black*
- *Glass, Solar-Ray light-tinted, all windows*
- *Wipers, front intermittent wet-arm with pulse washers*
- *License plate kit, front*

#### Entertainment

- *Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers*

#### Interior

- *Seats, front bucket with vinyl trim and outboard head restraints (Requires (\*\*W) interior trim.)*
- *Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim*
- *Air conditioning, single-zone manual*
- *Console, engine cover with open storage bin*
- *Floor covering, full-length Black rubberized-vinyl (Not standard with (YF2) Ambulance Package.)*
- *Steering wheel, steel sleeve column with theft-deterrent locking feature, Black*
- *Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure*
- *Oil life monitor*
- *Warning tones, headlamp on and key-in-ignition*
- *Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.*
- *Tow/haul mode selector, instrument panel-mounted*
- *Theft-deterrent system, vehicle, PASS-Key III*
- *Defogger, side windows*
- *Cup holders, 3 on the engine console cover*
- *Power outlets, 2 auxiliary on engine console cover with covers, 12-volt*
- *Mirror, inside rearview manual day/night (Included and only available with (A12) fixed rear door window glass or (A18) rear cargo door window swing-out glass.)*
- *Headliner, cloth, over driver and passenger*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 154.0, Data updated 9/22/2009 12:54:00 PM ©Copyright 1986-2006 Chrome Systems Inc. All rights reserved.



2009 Chevrolet Express Cargo Van

## • VEHICLE REPORT

2009 Chevrolet Express Cargo Van CG23405 RWD 2500 135"

### WARNING - THIS VEHICLE IS NOT YET COMPLETELY CONFIGURED

#### STANDARD EQUIPMENT

- *Visors, driver and front passenger, padded*
- *Assist handle, front passenger*
- *Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches*

#### Safety

- *Brake/transmission shift interlock, for automatic transmissions*
- *Door beams, steel-side*
- *Daytime Running Lamps*
- *Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)*
- *Air bag deactivation switch, frontal, passenger-side (Requires (C6P) 8600 lbs. (3901 kg) GVWR or (C6Y) 9600 lbs. (4354 kg) GVWR. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)*
- *Tire Pressure Monitoring System (does not apply to spare tire)*